



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Sacramento*.—Month of May, 1896. Estimated population, 30,000. Total deaths, 35, including croup, 1, and phthisis pulmonalis, 4.

*San Francisco*.—Month of May, 1896. Estimated population, 330,000. Total deaths, 5381 including croup, 4; diphtheria, 5; enteric fever, 7; whooping cough, 3, and phthisis pulmonalis, 85.

CONNECTICUT.—Month of May, 1896. Reports to the State board of health from 166 towns having an aggregate population of 812,390, show a total of 1,203 deaths, including phthisis pulmonalis, 114; enteric fever, 4; scarlet fever 10; diphtheria and croup, 37; measles, 49, and whooping cough, 9.

*Bridgeport*.—Month of May, 1896. Estimated population, 58,860. Total deaths, 93, including diphtheria, 4; whooping cough, 1; croup, 1; measles, 2, and phthisis pulmonalis, 7.

*Hartford*.—Month of May, 1896. Estimated population, 62,000. Total deaths, 92, including enteric fever, 1; scarlet fever, 1; measles, 9; whooping cough, 1; diphtheria, 1, and phthisis pulmonalis, 5.

FLORIDA—*Tampa*.—Month of May 1896. Estimated population, 21,000. Total deaths, 41, including enteric fever, 4; measles, 1, and phthisis pulmonalis, 2.

ILLINOIS—*Chicago*.—Month of May, 1896. Estimated population, 1,600,000. Total deaths 1,804, including diphtheria and croup, 49; scarlet fever, 5; enteric fever, 31, and phthisis pulmonalis, 231.

*La Salle*.—Month of May, 1896. Estimated population, 10,750. Total deaths, 10, including whooping cough, 1, and 2 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of May, 1896. Estimated population, 31,484. Total deaths, 33, including 4 from phthisis pulmonalis.

KENTUCKY—*Louisville*.—Month of May, 1896. Estimated population, 211,100. Total deaths, 229, including croup, 1; diphtheria, 1; enteric fever, 6, and phthisis pulmonalis, 29.

MASSACHUSETTS—*Brockton*.—Month of May, 1896. Estimated population, 33,165. Total deaths, 36, including 4 from phthisis pulmonalis.

*Malden*.—Month of May, 1896. Estimated population, 30,000. Total deaths, 48, including scarlet fever, 2, and phthisis pulmonalis, 9.

MICHIGAN.—Reports to the State board of health, Lansing, from 51 observers indicate that during the week ended June 6, 1896, pleuritis and diarrhea increased and that inflammation of the bowels decreased in area of prevalence. During the week phthisis pulmonalis was reported present at 203 places, measles at 39, scarlet fever at 23, diphtheria at 19, enteric fever at 12, and whooping cough at 11 places.

*Grand Rapids*.—Month of May, 1896. Estimated population, 90,000. Total deaths, 64, including 12 from phthisis pulmonalis.

MISSOURI—*St. Louis*.—Month of May, 1896. Estimated population,

570,000. Total deaths, 779, including measles, 1; diphtheria, 11; croup, 7; whooping cough, 2; enteric fever, 9, and phthisis pulmonalis, 77.

MINNESOTA—*Winona*.—Month of May, 1896. Estimated population, 21,000. Total deaths, 17, including 2 from phthisis pulmonalis.

*St. Paul*.—Population, 140,292. Total deaths, 104, including phthisis pulmonalis, 9; enteric fever, 1; diphtheria, 2; croup, 1, and whooping cough, 1.

NEW HAMPSHIRE—*Concord*.—Month of May, 1896. Estimated population, 19,000. Total deaths, 28, including diphtheria, 1, and phthisis pulmonalis, 2.

NEW YORK—*Buffalo*.—Month of May, 1896. Estimated population, 335,709. Total deaths, 319, including phthisis pulmonalis, 36; croup, 1; diphtheria, 7; enteric fever, 1, and whooping cough, 2.

*Mount Vernon*.—Month of May, 1896. Estimated population, 18,000. Total deaths, 22. No deaths from contagious diseases.

OHIO—*Dayton*.—Month of May, 1896. Estimated population, 85,000. Total deaths, 63, including smallpox, 1, and 10 from phthisis pulmonalis.

PENNSYLVANIA—*Williamsport*.—Month of May, 1896. Estimated population, 35,000. Total deaths, 20, including 1 from diphtheria.

TENNESSEE—*Memphis*.—Month of May, 1896. Estimated population, 55,923 (white, 28,064; colored, 27,859). Total deaths, 115 (white, 54; colored, 61), including enteric fever, 3; measles, 1; whooping cough, 2, and phthisis pulmonalis, 14.

*Nashville*.—Month of May, 1896. Estimated population, white, 54,595; colored, 33,159; total, 87,754. Deaths, white, 65; colored, 80; total, 145, including phthisis pulmonalis, 23; enteric fever, 1; scarlet fever, 1; croup, 1, and measles, 4.